SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT Filing Date First Named Inventor Art Unit Examiner Name Medina Ahmed Ibrahim

U.S. PATENT DOCUMENTS

Copics of U.S. Patent documents do not need to be provided, unless requested by the Patent and Trademark Office. For patents, provide the patent number and the issue date. For published U.S. applications, provide the publication number and the publication date. For unpublished pending patent applications, provide the application number and the filing date.

Examiner's Initials*	Cite No. (optional)	Number	Publication Date	Name of Applicant or Patentee
/M.I./		6,057,490	May 2, 2000	RYALS et al.
/M.I./		US 2002/0160378	October 31, 2002	HARPER et al.
/M.I./		6,664,446	December 16, 2003	HEARD et al.

FOREIGN PATENT DOCUMENTS

Examiner's Initials*	Cite No. (optional)	Country	Number	Publication Date	Name of Applicant or Patentee	
/M.I./		PCT/WIPO	WO2002/016655	February 28, 2002	THE SCRIPPS RESEARCH INSTITUTE	
Examiner's Initials*	Cite No. (optional)	OTHER DOCUMENTS				
/M.I./		AARTS et al., "Different requirements for EDS1 and NDR1 by disease resistance genes define at least two R gene-mediated signaling pathways in Arabidopsis," Proc Natl. Acad. Sci. USA, 95:10306-10311, 1998.				
/M.I./		ASAI et al., "MAP kinase signaling cascade in Arabidopsis innate immunity," Nature, 415:977-983, 2002.				
/M.I./		BENNETZEN and JONES, "Approaches and Progress in the Molecular Cloning of Plant Disease Resistance Genes," Genetic Engineering, 14:99-124, 1992.				
/M.I./		BERROCAL-LOBO et al., "Constitutive expression of ETHYLENE-RESPONSE-FACTOR1 in Arabidopsis confers resistance to several necrotrophic fungi," The Plant Journal, 29(1):23-32, 2002.				
/M.I./		BOWLING et al., "A mutation in arabidopsis that leads to constitutive expression of systemic acquired resistance," Plant Cell, 6:1845-1857, 1994.				
/M.I./		BOWLING et al., "The cpr5 mutant of arabidopsis expresses both NPR1-dependent and NPR1-independent resistance," Plant Cell, 9:1573-1584, 1997.				
/M.I./		CAO et al., "Generation of broad-spectrum disease resistance by overexpression of an essential regulatory gene in systemic acquired resistance," Proc. Natl. Acad. Sci. USA, 95:6531-6536, 1998.				

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

Attorney Docket Number 6616-72707-02 Application Number 10/697,787 SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT Filing Date October 29, 2003 First Named Inventor Federspiel Art Unit 1638 Examiner Name Medina Ahmed Ibrahim

Examiner's Initials*	Cite No. (optional)	OTHER DOCUMENTS
/M.I./		CAO et al., "Effect of two conserved amino acid residues on DREB1A function," Biochemistry (Mosc)., 66(6):623-627, 2001.
/M.I./		CHEN et al., "Expression profile matrix of Arabidopsis transcription factor genes suggests their putative functions in response to environmental stresses," <i>The Plant Cell</i> , 14(3):559-574, 2002.
/M.I./		CLARKE et al., "Uncoupling PR gene expression from NPR1 and bacterial resistance: characterization of the dominant Arabidopsis cpr6-1 mutant," The Plant Cell, 10:557-569, 1998.
/M.I./		CLARKE et al., "Roles of salicylic acid, jasmonic acid, and ethylene in cpr-induced resistance in Arabidopsis," The Plant Cell, 12:2175-2190, 2000.
/M.I./		CLARKE et al., "Constitutive disease resistance requires EDS1 in the Arabidopsis mutants cpr1 and cpr6 and is partially EDS1-dependent in cpr5," The Plant Journal, 26:409-420, 2001.
/M.I./		DANGL and JONES, "Plant pathogens and integrated defense responses to infection," <i>Nature</i> , 411:826-833, 2001.
/M.I./		DELANEY et al., "Arabidopsis signal transduction mutant defective in chemically and biologically induced disease resistance," Proc. Natl. Acad. Sci. USA, 92:6602-6606, 1995.
/M.i./		DEVADAS et al., "The Arabidopsis hrl1 mutation reveals novel overlapping roles for salicylic acid, jasmonic acid and ethylene signalling in cell death and defence against pathogens," The Plant Journal, 30(4):467-480, 2002.
/M.I./		DEWDNEY et al., "Three unique mutants of Arabidopsis identify eds loci required for limiting growth of a biotrophic fungal pathogen," The Plant Journal, 24(2):205-218, 2000.
/M.I./		FEYS and PARKER, "Interplay of signaling pathways in plant disease resistance," <i>TIG</i> , 16(10):449-455, 2000.
/M.I./		FRYE and INNES, "An Arabidopsis mutant with enhanced resistance to powdery mildew," <i>The Plant Cell</i> , 10:947-956, 1998.
/M.I./		GLAZEBROOK, Jane, "Genes controlling expression of defense responses in Arabidopsis," Current Opinion in Plant Biology, 2:280-286,1999.
/M.1./		GLAZEBROOK, Jane, "Genes controlling expressions of defense responses in Arabidopsis - 2001 status," Current Opinion in Plant Biology, 4:301-308, 2001.
/M.I./		GU et al., "Tomato transcription factors Pti4, Pti5, and Pti6 activate defense responses when expressed in Arabidopsis," The Plant Cell, 14:817-831, 2002.
/M.I./		HEATH. Michele C., "Nonhost resistance and nonspecific plant defenses," Current Opinion in Plant Biology, 3:315-319, 2000.

EXAMINER SIGNATURE: /Medina lbrahim/	DATE CONSIDERED: 05/13/2007
--------------------------------------	--------------------------------

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Attorney Docket Number	6616-72707-02	
Application Number	10/697,787	
Filing Date	October 29, 2003	
First Named Inventor	Federspiel	
Art Unit	1638	
Examiner Name	Medina Ahmed Ibrahim	

Examiner's Initials*	Cite No. (optional)	OTHER DOCUMENTS
/M.1./		KACHROO et al., "A fatty acid desaturase modulates the activation of defense signaling pathways in plants," PNAS, 98:9448-9453, 2001.
/M.I./		KIM and DELANEY, "Arabidopsis SON1 is an F-box protein that regulates a novel induced defense response independent of both salicylic acid and systemic acquired resistance," <i>The Plant Cell</i> , 14:1469-1482, 2002.
/M.I./		KIM and DELANEY, "Over-expression of TGA5, which encodes a bZIP transcription factor that interacts with NIM1/NPR1, confers SAR-independent resistance in Arabidopsis thaliana to Peronospora parasitica," Plant J., 32:151-163, 2002.
/M.I./		KINKEMA et al., "Nuclear localization of NPR1 is required for activation of PR gene expression," The Plant Cell, 12:2339-2350, 2000.
/M.i./		LIN et al., "Arabidopsis thaliana chromosome 1 BAC F22H5 genomic sequence, complete sequence," Genbank accession no. AC025814, 2001, (retrieved January 14, 2005).
/M.I./		LORENZO et al., "ETHYLENE RESPONSE FACTOR1 integrates signals from ethylene and jasmonate pathways in plant defense," The Plant Cell, 15(1):165-178, 2003.
/M.I./		LUCHT et al., "Pathogen stress increases somatic recombination frequency in Arabidopsis," Nature Genetics, 30:311-314, 2002.
/M.t./		MACH et al., "The Arabidopsis-accelerated cell death gene ACD2 encodes red chlorophyll catabolite reductase and suppresses the spread of disease symptoms," Proc. Natl. Acad. Sci. USA, 98(2):771-776, 2001.
/M.I./		MALDONADO et al., "A putative lipid transfer protein involved in systemic resistance signaling in Arabidopsis," Nature, 419:399-403, 2002.
/M.I./		MALECK et al., "Isolation and characterization of broad-spectrum disease-resistant Arabidopsis mutants," Genetics, 160:1661-1671, 2002.
/M.I./		McDOWELL et al., "Downy mildew (Peronospora parasitica) resistance genes in Arabidopsis vary in functional requirements for NDR1, EDS1, NPR1 and salicylic acid accumulation," Plant J., 22:523-529, 2000.
/M.1./		MOLINA et al., "Inhibition of protoporphyrinogen oxidase expression in Arabidopsis causes a lesion-mimic phenotype that induces systemic acquired resistance," The Plant Journal, 17(6):667-678, 1999.
/M.I./		MOREL and DANGL, "Suppressors of the Arabidopsis <i>lsd5</i> cell death mutation identify genes involved in regulating disease resistance responses," <i>Genetics</i> , 151:305-319, 1999.
/M.I./		NÜRNBERGER and SCHEEL, "Signal transmission in the plant immune response," TRENDS in Plant Science, 6(8):372-379, 2001.

EXAMINER SIGNATURE: /Medina lbrahim/	DATE CONSIDERED: 05/13/200	1
--------------------------------------	-------------------------------	---

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

	Attorney Docket Number	6616-72707-02
	Application Number	10/697,787
SUPPLEMENTAL INFORMATION DISCLOSURE	Filing Date	October 29, 2003
STATEMENT BY APPLICANT	First Named Inventor	Federspiel
	Art Unit	1638
	Examiner Name	Medina Ahmed Ibrahim

Examiner's Initials*	Cite No. (optional)	OTHER DOCUMENTS
/M.I./		ONATE-SANCHEZ and SINGH, "Identification of Arabidopsis ethylene-responsive element binding factors with distinct induction kinetics after pathogen infection," <i>Plant Physiology</i> , 128(4):1313-1322, 2002.
/M.I./		PETERSEN et al., "Arabidopsis MAP kinase 4 negatively regulates systemic acquired resistance," Cell, 103:1111-1120, 2000.
/M.1./		REYMOND and FARMER, "Jasmonate and salicylate as global signals for defense gene expression," Current Opinion in Plant Biology, 1:404-411, 1998.
/M.I./		ROMEIS, Tina., "Protein kinases in the plant defence response," Current Opinion in Plant Biology, 4:407-411, 2001.
/M.I./		RUSTÉRUCCI et al., "The disease resistance signaling components EDSI and PAD4 are essential regulators of the cell death pathway controlled by LSDI in Arabidopsis," The Plant Cell, 13:2211-2224, 2001.
/M.I./		SCHULZE-LEFERT and VOGEL, "Closing the ranks to attack by powdery mildew," Trends in Plant Science Reviews, 5(8):343-348, 2000.
/M.I./		SHAH et al., "A recessive mutation in the Arabidopsis SSI2 gene confers SA- and NPR1-independent expression of PR genes and resistance against bacterial and oomycete pathogens," The Plant Journal, 25(5):563-574, 2001.
/M.I./		SOLANO et al., "Nuclear events in ethylene signaling: a transcriptional cascade mediated by ETHYLENE-INSENSITIVE3 and ETHYLENE-RESPONSE-FACTOR1," Genes and Development, 12:3703-3714, 1998.
/M.I./		STONE et al., "Simulation of fungal-mediated cell death by fumonisin B1 and selection of fumonisin B1-resistant (fbr) Arabidopsis mutants," The Plant Cell, 12:1811-1822, 2000.
/M.I./	-	TAKEMOTO et al., "GFP-tagging of cell components reveals the dynamics of subcellular re-organization in response to infection of Arabidopsis by oomycete pathogens," Plant J., 33:775-792, 2003.
/M.I./		TANG and INNES, "Overexpression of a kinase-deficient form of the <i>EDR1</i> gene enhances powdery mildew resistance and ethylene-induced senescence in <i>Arabidopsis</i> ," <i>The Plant Journal</i> , 32:975-983, 2002.
/M.I./		TIERENS et al., "Esal, an Arabidopsis mutant with enhanced susceptibility to a range of necrotrophic fungal pathogens, shows a distorted induction of defense responses by reactive oxygen generating compounds," The Plant Journal, 29(2):131-140, 2002.

EXAMINER SIGNATURE: /Medina lbrahim/	DATE CONSIDERED:	05/13/2007
--------------------------------------	---------------------	------------

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

AC/TMH:gth 03/2	29/07 6616-72707-02 675219.doc AG03-071C		FILED VIA EFS			
		Attorney Docket Number	6616-72707-02			
		Application Number	10/697,787			
SUPPLEME	NTAL INFORMATION DISCLOSURE	Filing Date	October 29, 2003			
ST	ATEMENT BY APPLICANT	First Named Inventor	Federspiel			
<u> </u>		Art Unit	1638			
		Examiner Name	Medina Ahmed Ibrahim			
/M.I./	TÖR et al., "Arabidopsis SGT1b is r downy mildew resistance genes," Pla	required for defense signaling ant Cell, 14:993-1003, 2002.	g conferred by several			
/M.I./	TORNERO and DANGL, "A high-tl	hroughput method for quanti	fying growth of			
	phytopathogenic bacteria Arabidopsi	is thaliana," The Plant Journ	nal, 28(4):475-481, 2001.			
/M.I./	VOGEL and SOMERVILLE, "Isolat Arabidopsis mutants," Proc. Natl. Ac					
/M.I./	WEYMANN et al., "Suppression and	d restoration of lesion forma	tion in Arabidopsis <i>Isd</i>			
		mutants," Plant Cell, 7:2013-2022, 1995.				
/M.I./	XIE et al., "COI1: An Arabidopsis gene required for Jasmonate-regulated defense and fertility," Science, 280:1091-1094, 1998.					
/M.I./	XU et al., "The SCFCOII ubiquitin-lig	gase complexes are required	for jasmonate response			
<u> </u>	in Arabidopsis," <i>The Plant Cell</i> , 14:1919-1935, 2002.					
/M.I./		YANG et al., "Activation of a mitogen-activated protein kinase pathway is involved in disease resistance in tobacco," Proc Natl Acad Sci USA, 98(2):741-746, 2001.				
/M.I./	YOSHIOKA et al., "Environmentall	YOSHIOKA et al., "Environmentally sensitive, SA-dependent defense responses in the				
	cpr22 mutant of Arabidopsis," The Plant Journal, 26(4):447-459, 2001. ZHANG et al., 'Interaction of NPR1 with basic leucine zipper protein transcription					
/M.I./	factors that hind sequences required	for salicylic acid induction o	f the DR 1 game " Proc			
	factors that bind sequences required for salicylic acid induction of the PR-1 gene," Proc Natl Acad Sci USA, 96:6523-6528, 1999.					
/M.I./	ZIMMERLI et al., "Potentiation path	hogen-specific defense mech	anisms in Arabidopsis by			
71411.7		ric acid," Proc Natl Acad Sci USA, 97:12920-12925, 2000.				
/M.I./	GenBank Accession No. NP_188965					
/M.I./	GenBank Accession No. AAM63284	GenBank Accession No. AAM63284				
/M.I./	GenBank Accession No. AAN32899					
/M.I./	GenBank Accession No. BAC21534	GenBank Accession No. BAC21534				
. /M.I./	GenBank Accession No. NP_180681	l	W			

EXAMINER SIGNATURE:	/Medina Ibrahim/	DATE CONSIDERED) : 05/13/2007

GenBank Accession No. B84718

GenBank Accession No. AAN77067

/M.I./

/M.I./

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.